


- , 2015. - 304 .

« - »
(,)

, [1, . 3].
(. 1).



. 1.

[3, . 41].

[2, . 23].

() .

[4, .29].

[5, .15] .



- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

(100),

(25 (.2))

Лейкоциты (x100)

Другие клетки (x1000)



.2.

1 2


2 3

100-

150

(.3).

Размер 2x3 см



.3.


Размер 1x2 см



.


(
) (.4).

Хорошее качество



.4.

Мазок нанесен неравномерно



.

4-5

5).

1. Af, ' : 3 T issiaii
d ^ T ^ n
tltu-- ^ li ^ n
(iSd in a "Jape


r jAputuuie, pair, vi aec
, p .tj<>t ssian
aata r.u *Uvyv!> an<
trnkako'f,^ af-e
i?4Ay's [etrhical rQUUn-
1 Tup-sday tl frc ' .1
rUnii-i4iy diaplyyeti fi
se m a humoroua

japa. se nvir, sec
I py' 'osaiAn
;Liro* 'll f


.5.

(.6).




Хорошее качество



Слишком густой




Слишком тонкий



.6.


(.7).

Хорошее качество мазка




.7.

Недостаточно обесцвеченный мазок




(.8).

Хорошее качество мазка



.8.

Загрязнение мазка кристаллами



1. // .2017.6 .
2. « » ,2008. 100 .
- The methods of tuberculosis diagnostics: / . . ; . . ; ,2017. 72 .
3. « » ,2008. 40 .
4. « » ,2008. 40 .

