

Facility, GBIF). IUCN (Global Biodiversity Information Facility, GBIF) 130
 1272 GISD. GBIF
 (https://www.gbif.org/ru/dataset/b351a324-77c4-41c9-a909-f30f77268bc4).

GBIF, (http://www.sevin.ru/top100worst/priortargets.html).

sevin.ru 13 : *Anadara kagoshimensis* (Tokunaga, 1906), *Arcuatula senhousia* (Benson, 1842), *Corbicula fluminea* (O.F. Muller, 1774), *Crassostrea gigas* (Thunberg, 1793), *Dreissena bugensis* (Andrusov, 1897), *Dreissena polymorpha* (Pallas, 1771), *Lithoglyphus naticoides* (C. Pfeiffer, 1828), *Magallana gigas* (Thunberg, 1793), *Mytilopsis leucophaeata* (Conrad, 1831), *Potamopyrgus antipodarum* (J.E. Gray, 1843), *Rangia cuneata* (J.E. Gray, 1843), *Rapana venosa* (Valenciennes, 1846), *Teredo navalis* Linnaeus, 1758.

GenBank.

(PYRRHOCORIS APTERUS L.)

• • , • • , • • , • • , [, 2007].

, 2016].

TPS, PAST STATISTICA,


()

[, 2001].

50 « »
« » « »

TPS PAST

1.



Лиман

. 1.


2

75%.

50,

55

(.2).




.2.

819,35±14,36; 50 - 816,35±11,58, : - 823,96±12,65,
 823,29±12,78, 821,19±16,03; 801,39±14,56; -
 840,11±9,56. - 861,41±10,36;


50

820.

(.3, 4).



.3.



. 4.

50

8,2 E+02,

50

.., . ., . . 2007.

. ., - , 279 .
 .., . . 2016.

- . Acta Biologica Sibirica, 2

(2): 25-45.

. . 2001.

. . : 65-90.

**MYZUS PERSICAE SULZER,
 TILIA CORDATA MILL.**

TILIA EUROPAEA L.

. . , . .

- « »

, . ,

« »

()